




NP STRUCTURES™
FABRIC BUILDINGS

CC SHELTER SPECIFICATION



CC SHELTER



CC SHELTER SPECIFICATIONS

The CC Shelter is the ideal work & storage shelter for strength, durability and value.

Container Canopies are the perfect work and storage solution for any type of business, often used in agriculture for storing produce, machinery and animal feed; in construction and civil engineering to create temporary 'dry' work & storage spaces; transport/haulage companies to create dry loading areas; and across a general range of industries to create low-cost dry storage areas, especially for plant hire and grounds maintenance machinery.

Our unique **STRIPFIX®** system means that our covers come in 2m strips, allowing you to create a shelter of any length by positioning your containers end to end. STRIPFIX® also allows the cover to be more effectively tensioned, protecting against weather damage and creating a drum-skin tight finish. Individual strips allow cost-effective maintenance of your canopy and is easily repaired should damage occur.

ArmourGuard Steel Framework

The Container Canopy framework is produced from 76mm ArmourGuard® steel tube with a 2mm wall thickness. All tubular steel components are ArmourGuard® treated, both inside and out. ArmourGuard® is NP Structures' high-endurance galvanising treatment, giving extraordinary levels of corrosion resistance. ArmourGuard® offers up to 20 times the corrosion resistance of traditional zinc galvanising thanks to the revolutionary combination of zinc, aluminium and magnesium. ArmourGuard® is designed not just to survive in the most hostile environments but also to offer extreme longevity. In exhaustive tests carried out by Rotech Laboratories, one of the UK's leading test houses, ArmourGuard® endured the equivalent of 100 years' exposure to the harshest elements without undue deterioration.

Heavy-Duty Covers

All covers are made from heavy-duty, 610gsm, PVC-coated fabric and are available in a range of colours. Our standard cover options are translucent, allowing optimal natural light into the shelter. Admiral Grey and Olive Green being extremely popular in urban and rural locations respectively. Our covers are 100% waterproof, flame retardant, and have anti-UV properties to prevent premature degradation.

Gable Ends and D-Panels

Container Canopies are available with gable end panels to create a more enclosed work & storage space. Our gable ends have internal tubular steel supports and a base rail, ensuring they withstand the rigours of the British climate. D-Panels (image 2) offer additional protection against weather.

Planning Permission

As the name suggests, the CC Shelter is ballasted onto steel shipping containers. As the structure is not permanently fastened to the ground, it is considered by most planning departments as a temporary structure. Meaning in most cases it does not require planning permission. We would always recommend checking with your local planning authority for details.

Logos

We offer the option of having your logo printed onto the cover of your Container Canopy. This gives you the opportunity to build your brand and advertise your products on a large canvas.


NOISE-EX® Sound-Absorbing Panels

Our NOISE-EX® panels are extremely effective in reducing site noise, this allows prolonged working hours and fewer noise complaints. Please call 01282 873120 for a quote.

Installation Service

Full, nationwide installation service available – please ask for a quote.


CC SHELTER DIMENSIONS



CC SHELTER DIMENSIONS



12m CC Shelter with rear closed gable.



CC SHELTER DIMENSIONS					
Width (A)	Overall Height (B)	Canopy Height	Available Height	Snow Load	Wind Load
10m	5.8m	3.2m	5.6m	300N	140N
12m	6.4m	3.8m	6.2m	420N	170N
14m	7.0m	4.4m	6.8m	650N	260N

Heights given are for a standard-sized shipping container. For Hi-Cube containers please add 0.3m.



NP STRUCTURES™
FABRIC BUILDINGS

DESIGNED AND MANUFACTURED IN THE UK
SINCE 1969

PART OF THE NP STRUCTURES GROUP



W: www.npstructures.co.uk | E: sales@npstructures.co.uk | T: 01282 873120